

Common vascular codes

Just in time

Atherosclerosis codes			
ICD-10	Description	HCC	
170.0	Atherosclerosis of the aorta	108	
I70.1	Atherosclerosis of the renal arteries	108	
	The subcategories below require a sixth character to report: site and laterality.		
Consider these codes when the cause of PVD is due to atherosclerosis on the duplex study.			
170.20-	Unspecified atherosclerosis of native arteries of extremities	108	
170.21-	Atherosclerosis of native arteries of the extremities, with intermittent claudication	108	
170.22-	Atherosclerosis of native arteries of the extremities, with rest pain	108	
170.23-	Atherosclerosis of the native arteries with ulceration (right/left leg/other extremities)	106 & 161	
-	Include appropriate ulcer code (examples below).		
170.25-			
170.26-	Atherosclerosis of native arteries of the extremities, with gangrene	106	
170.29-	Other atherosclerosis of native arteries of extremities	108	
170.3-	Atherosclerosis of unspecified type of bypass graft(s) of the extremities	106 &161	
170.4-	Atherosclerosis of autologous vein bypass graft(s) of the extremities	106 &161	
170.5-	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities	106 &161	
170.6-	Atherosclerosis of nonbiological bypass graft(s) of the extremities	106 &161	
170.7-	Atherosclerosis of other types of bypass graft(s) of the extremities	106 &161	
Diabetic peripheral angiopathy codes			
E11.51	Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene	18 & 108	
E11.52	Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene	18 & 106	
		& 108	
E11.59	Type 2 diabetes mellitus with other circulatory complications (Consider more specific codes).	18	
Peripheral vascular disease codes			
173.89	Other specified peripheral vascular diseases (Includes acrocyanosis, eythrocyanosis, simple acroparesthesia, vasomotor acroparesthesia).	108	
173.9	Peripheral vascular disease, unspecified (includes intermittent claudication, peripheral angiopathy NOS and spasm of artery). Consider when the cause of the PVD is not yet known.	108	
Other disorder codes			
179.8	Other disorders of arteries, arterioles and capillaries in diseases classified elsewhere (code first underlying disease). This category excludes diabetic peripheral angiopathy and endarteritis.	108	

Ulcers of the lower extremity codes			
The subcategories below require additional characters to report: laterality, depth and severity of the ulcer. Code first any associated underlying condition, such as: atherosclerosis of the lower extremities.			
L97	Non-pressure chronic ulcer of lower limb, not elsewhere classified		
L97.1-	Non-pressure chronic ulcer of thigh	161	
L97.2-	Non-pressure chronic ulcer of calf	161	
L97.3-	Non-pressure chronic ulcer of ankle	161	
L97.4-	Non-pressure chronic ulcer of heel and mid-foot	161	
L97.5-	Non-pressure chronic ulcer of other part of foot	161	
L97.8-	Non-pressure chronic ulcer of other part of lower leg	161	
L97.9-	Non-pressure chronic ulcer of unspecified part of lower leg	161	
Varicose veins of the lower extremity codes			
The subcategories below require additional characters to report: laterality and severity of the ulcer. Use additional code to identify severity of ulcer (L97-).			
183.0-	Varicose veins of the lower extremities, with ulcer	107	
183.2-	Varicose veins of the lower extremities, with ulcer and inflammation	107	

This guidance is to be used for easy reference; however, the ICD-10-CM code book and the Official Guidelines for Coding and Reporting are the authoritative references for accurate and complete coding. The information presented herein is for general informational purposes only. Specific documentation is reflective of the "thought process" of the provider when treating patients. All conditions affecting the care, treatment or management of the patient should be documented with their status and treatment, and coded to the highest level of specificity. Enhanced precision and accuracy in the codes selected is the ultimate goal.